



Mিনny 430-530 B - 500 E



Mিনny 430-530 B - 500 E

**Battery-powered and electric scrubbing machine.
Available in single disc version with 43 or 51 cm working width.**



Minny 430-530 B - 500 E

Minny scrubbing machine. Suitable for maintenance cleaning of small to mid-sized and irregularly-shaped areas

Minny is an extremely quiet machine and therefore suitable for schools, hospitals and retirement homes since it complies with the strictest standards on noise pollution. Suitable for maintenance cleaning, this machine can perform good thorough cleaning by means of aggressive brushes or abrasive pads.



The shock-resistant high-density polyethylene recovery tank is also removable for easier cleaning



Mিনny scrubbing machine with a single brush

The single brush version, with batteries or 220-230 V power supply.
Mিনny's characteristics have been studied to make all working operations easier:

Machine preparation

Battery check

Brush couple/uncouple

Squeegee adjustment

Cleaning operations at the end of work



The water filling inlet is easily accessible and shaped to prevent splashing and equipped with a filter system that holds back any impurities



The easy-to-reach spacious battery compartment can house two 12 V/77 Ah gel batteries that require no maintenance or wet cell 105 Ah batteries



The washing unit of Minny 430-530-500 uses a single brush with a practical brush lock/unlock system requiring no manual intervention for installation.

A brush stop system prevents the brush from coming unlocked when moving from one place to another



Both inclination and pressure of the squeegee rubber can be adjusted. The squeegee is fitted with two wheels which provide better stability during operation. The rubber elements can be used on both sides




The shape of the instrument board, made of cast aluminium and injection moulded, facilitates machine control and guarantees the best visibility and safety of use



Minsky 430 B / 530 B battery models are equipped with a strong gear motor that allows a prolonged use without any maintenance operations.



Minsky 500 E is equipped with an electric motor of 750 W and the brush is activated through a belt. For this reason Minny 500 E is particularly suitable for maintenance and hard cleaning operations



TECHNICAL DESCRIPTION		Minsky 430 B	Minsky 530 B	Minsky 500 E
Squeegee width	mm	660	775	775
Disc brushes Ø (No.)	mm	430 (1)	510 (1)	510 (1)
Brushes rpm	rpm	140	140	140
Brush motors	V/W	24/400	24/400	220-230/750
Suction motor	V/W	24/370	24/370	220-230/450
Suction vacuum	mbar	100	100	100
Max gradient at full load	%	2	2	2
Batteries (No.)	V/Ah C5	24/105 (2)	24/105 (2)	-
Batteries weight (max)	kg	56	56	-
Cable length	m	-	-	15

	Electromagnetic compatibility Emission standard	Working width cm	Number of brushes	Supply V/ traction	Solution tank l	Recovery tank l	Working capacity up to m ² /h	Machine dimensions in mm L x h x w	weight without batteries kg
Minsky 430 B	EN 6100-6-1, 2, 3, 4	43	1	24/semi aut.	33	40	1470	1085 x 960 x 455	70
Minsky 530 B		51		24/semi aut.	33	40	1750	1160 x 960 x 560	72
Minsky 500 E		51		220-230/50/semi aut.	33	40	1750	1160 x 960 x 560	72



PERPULIRE S.r.l.
 info@perpulire.it | www.perpulire.it

TORINO (MAPPANO)
ALESSANDRIA
MILANO (BUCCINASCO)
ROMA

via Goretta 96/A - 10079 tel. +39 011 2207783
 via dell'Artigianato, 43 -15121 tel. +39 0131 033005
 via Lazio, 15 - 20090 | tel. +39 02 48843881
 via Melibee, 90 - 00155 | tel. +39 06 83777308

CAGLIARI (SESTU)
MESSINA
COSENZA (AMANTEA)

Ex Statale 131 km 7.300 | tel. +39 070 2510 236
 via Oretto, 1 - 98124 | tel. +39 090 9146038
 Deposito: zona Artigianale La Fiumara, 9, 87032
 Showroom: SS 18 Tirrena Inferiore, 66, 87032